




| Scheuerle SPMT 3 rd Generation | | |
|---|---------|---------|
| Specification | 4 lines | 6 lines |
| Capacity (te) | 160 | 240 |
| Weight(te) | 16 | 24 |
| Capacity per line (te) | 40 | 40 |
| AJE Fleet | 8 nos | 12 nos |
| Total No. of lines | 32 | 72 |
| Total capacity (te) | 1280 | 2880 |

AL JABER HAS TOTAL LINES 104

TOTAL CAPACITY 4160Te





| Powerpacks | | |
|------------------|-----------|----------|
| Specification | PPU Z320 | PPU Z100 |
| Capacity KW / HP | 320 / 435 | 98 / 133 |
| Weight (te) | 7 | 3.5 |
| Length (m) | 4.20 | 2.59 |
| Width (m) | 2.31 | 2.31 |
| Height (m) | 1.10 | 1.10 |
| AJE Fleet (nos) | 4 | 2 |




STEERING CAPABILITIES

1- NORMAL




Left curve - right curve

All pendulum axles turn towards a longitudinal direction. Center of steering point outside the trailer.



Left curve - right curve

Center of steering point on the longitudinal side of the trailer.





Left curve - right curve

Center of steering point inside the trailer.


Max. steering angle of inner axles 90°.

2- DIAGONAL-DRIVE


MAX. STEERING ANGLE



3- TRANSVERSAL -DRIVE




4- CIRCULAR-DRIVE




All pendulum axles turn to a common center point in the middle of the trailer or to a point located anywhere

5- ROTATION POINT TO FIRST / LAST AXLE




5- ROTATION POINT OUTSIDE OF THE TRAILER




SPMT STEERING PROGRAMM

T - COMBINATION



V - COMBINATION



DRIVING DIRECTIONS

- Circular driving
- Transversal and longitudinal driving each angle

